

EA



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/039,019	12/31/2001	Xiaowei Weng	56.0622	7528

27452 7590 07/26/2005

SCHLUMBERGER TECHNOLOGY CORPORATION  
IP DEPT., WELL STIMULATION  
110 SCHLUMBERGER DRIVE, MD1  
SUGAR LAND, TX 77478

EXAMINER

THOMPSON, KENNETH L

ART UNIT	PAPER NUMBER
----------	--------------

3672

DATE MAILED: 07/26/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 10/039,019	<b>Applicant(s)</b> WENG ET AL.	
	<b>Examiner</b> Kenneth Thompson	<b>Art Unit</b> 3672	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 20 May 2005.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-5 and 7-15 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1-5, 7-10 and 15 is/are allowed.
- 6) ☒ Claim(s) 11-14 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 11-14 are rejected under 35 U.S.C. 102(b) as being anticipated by Reinhardt et al., U.S. 5,425,424.

Regarding claim 11, Reinhardt et al. discloses in figures 1-15 a method for treating a subterranean formation (12) having an uncased borehole (12 below 10) formed therein. Reinhardt et al. discloses providing a well treatment tool having (A) at least first and second burst disk assemblies (20), the first burst disk (lowermost 20) assembly having a lower bursting pressure (col. 5, lines 45-57) than the second burst disk (uppermost 20; in order for all disk to burst at the same inner pressure the lowermost disk will inherently have a lower burst pressure to compensate for the increased annulus pressure at the greater depth), an annulus interval isolation mechanism (seal above slip 14 between 10 and A), a conduit (22) through which treatment fluid (fig 5) is delivered to rupture the a burst disk, the treatment fluid then passing into an isolated annulus interval and treating the formation.

As to claim 12, Reinhardt et al. discloses a diversion mechanism (16, 28) for selectively preventing fluid flow through the burst disk assemblies (20).

As to claim 13, Reinhardt et al. discloses the mechanism includes ball sealers (16).

As to claim 14, Reinhardt et al. discloses the diversion mechanism includes a proppant plug (40).

### ***Allowable Subject Matter***

Claims 1-10 and 15 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

The prior art of record does not disclose or suggest all the claimed subject matter including the first burst disk assembly having a lower bursting pressure than the second burst disk assembly and treatment fluid rupturing either the first or second disk assembly.

### ***Response to Arguments***

Applicant's arguments filed 20 May 2005 with respect to claims 1, 10 and 15 have been considered and are persuasive.

Applicant's arguments with respect to claim 11 has been fully considered and is not persuasive.

The inclusion of the limitations of cancelled claim 6, indicated allowable in the previous action, to independent claim 11 does not place it in condition for allowance since claim 11 does not recite all the limitations of claim 1, from which claim 6 directly depends.

### ***Conclusion***

**THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth Thompson whose telephone number is 571 272-7037. The examiner can normally be reached on 7:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David J. Bagnell can be reached on 571-272-6999. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

22 July 2005  
KT



Frank S. Tsay  
Primary Examiner